

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-099769
 (43)Date of publication of application : 21.04.1998

(51)Int. Cl.

B05C 17/005

(21)Application number : 08-256786

(71)Applicant : LION CORP

(22)Date of filing : 27.09.1996


(72)Inventor : TSUJII NORIHIRO
 AIZAWA OSAMU
 MATSUMOTO AKIRA

(54) COATING UTENSIL

(57)Abstract:

PROBLEM TO BE SOLVED: To easily put out coating liquid when the coating liquid is caused to flow out and to firmly grip a container without the coating liquid flowing out when coating with rubbing and sweeping is performed with respect to a coating utensil.

SOLUTION: In a coating utensil which is provided with a container 2 for coating liquid and a brush part 8 provided on an opening part 2a of the container 2 and in which the container 2 is pressurized to supply the coating liquid to the brush part 8 to perform coating with rubbing and sweeping to a body to be coated by the brush part 8 containing the coating liquid, a thin-walled pressurizing part 10 is formed in the vessel 2 and also a thick-walled gripping part 12 is formed near the opening part 2a of the container 2.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision
 of rejection]

[Kind of final disposal of application
 other than the examiner's decision of
 rejection or application converted
 to registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's
decision of rejection]

[Date of requesting appeal against
examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998, 2003 Japan Patent Office

